PHONE 509-933-7050

### ELLENSBURG CEMENT PRODUCTS, INC.

READY MIXED CONCRETE

CONT. REG. # ELLEN CP 225 DP

PRICE ALLOWS 8 MINUTES PER YARD TO UNLOAD TRUCK AFTER ARRIVAL. ALL TIME OVER THIS CHARGED FOR AT CURRENT RATES.

CUSTOMER IS RESPONSIBLE FOR PROVIDING ACCEPTABLE WASHDOWN AREA.

SHIP TO:

18485

CRUSHED GRAVEL WASHED SAND & GRAVEL

WASHED SAND & GRAVEL

SOLD TO: GRAHAM CONTRACTING LTD

SEATTLE WA 98104

90844

VARIMA RIVER BRIDGES I 90 102 WB 205-491-5890 comE in east end

VERIEY DESIGNATED WASHOUT

TIME LOAD SIZE CY/M3 ORDERED ZONE DRIVER/TRUCK # TICKET # COUNTER START 05:02 319B 6,00 11.00 169 been A see house 21198 DATE P.O. # LOAD # CY/M3 DEL. BATCH # WATER TRIM SLUMP PLANT 00/21/2019 320002342 5.00 4.00

#### WARNING IRRITATING TO THE SKIN AND EYES

Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water. If Irritation Persists, Get Medical Attention. KEEP AWAY FROM CHILDREN I HAVE READ AND
UNDERSTAND ALL
WARNINGS, PROPERTY
DAMAGE RELEASE
INFORMATION AND
WARRANTY INFORMATION
ON THE REVERSE SIDE OF
THIS TICKET.

Excessive Water is Detrimental to Concrete Performance H<sub>2</sub>O Added By Request/Authorized By

GAL X

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE, DAMAGE RELEASE AND WARRANTY INFORMATION ON THE REVERSE SIDE OF FORM.

LOAD RECEIVED BY:

OUANTITY CODE DESCRIPTION

6.00 2108 4000D HPC 9-38A

6.00 4 ENVIRONMENTAL SEE

6.00 DEL2.0 3 HOUR DELAY SET

BIH dy

Shawn Glass ACT 01334425

1/2

EXTENDED PRICE

28 Day

RETURNED TO PLANT

LEFT PLANT

TOTAL ROUND TRIP

126aab

LEFT JOB

ARRIVED JOB

TOTAL AT JOB

10A \$ 10 b

FINISH UNLOADING

START UNLOADING

6:30

UNLOADING TIME

13 section of Sai

DELAY EXPLANATION/CYLINDER TEST TAKEN

1. JOB NOT READY
2. SLOW POUR OR PUMP
3. TRUCK AHEAD ON JOB
4. CONTRACTOR BROKE DOWN
5. ADDED WATER

DELAY EXPLANATION/CYLINDER TEST TAKEN
6. TRUCK BROKE DOWN
9. OTHER

Amb cs conc 72° Slump 5" Air 5.0

Subtobal: Tax: Total:

GRAND TOTAL

TIME ALLOWED

Date/Time 08/21/2019	05:07		21128	159	1000	MixCode 213B		or Name/Id 98899 CONTRACTING LTD
Marerial 1 1/2 SAND 3/4 CEMO1 7 02 11 WATO2 MEAESO	38D 722 1169 1128 450 130 0.00 26.00 4.50	Target 4, 912 7,289 6,849 2,700 780 0.00 94.31 27.88	Actual 4,380 7,240 6,860 2,710 765 0.00 95.00 27.00	lb lb lb lb gal gal	Vace -0.7 -0.7 -0.1 0.4 -1.9	38.97 9.94	Moist 0.46m 4.46a 1.21m	Load
WWRA DELVO	8.00	216.00	284.00	08 08	2.0			i Act Wt/Cm 0.3630

PHONE 309-933-7050

## ELLENSBURG CEMENT PRODUCTS, INC.

CRUSHED GRAVEL WASHED SAND & GRAVEL

### READY MIXED CONCRETE

PRICE ALLOWS 8 MINUTES PER YARD TO UNLOAD TRUCK AFTER ARRIVAL. ALL TIME OVER THIS CHARGED FOR AT CURRENT RATES.

**CUSTOMER IS RESPONSIBLE FOR** PROVIDING ACCEPTABLE WASHDOWN AREA.

SHIP TO:

SOLD TO:

GRAHAM CONTRACTING LTD 568 lst AVE 3 SEATPLE WA 90104

98844

5.00

CONT. REG. # ELLEN CP 225 DP

YAKIMA RIVER BRIDGES

205-491-6890

comE in east

VERIFY DESIGNATED WASHOUT

TIME	MIX	LOAD SIZE	CY/M3 ORDERED	ZONE	DRIVER/TRUCK #	COUNTER START	TICKET#
06:12	3138	5.00	/11/00	Fire Quest	170	0.00	21200
DATE	P.O. #	LOAD#	CY/M3 DEL.	BATCH#	WATER TRIM	SLUMP	PLANT
08/21/2019	3200023422		11.00			4.00	

#### WARNING IRRITATING TO THE SKIN AND EYES

Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water. If Irritation Persists, Get Medical Attention, KEEP AWAY FROM CHILDREN

I HAVE READ AND UNDERSTAND ALL WARNINGS, PROPERTY DAMAGE RELEASE INFORMATION AND WARRANTY INFORMATION ON THE REVERSE SIDE OF THIS TICKET. Excessive Water is Detrimental to Concrete Performance H<sub>2</sub>O Added By Request/Authorized By

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE, DAMAGE RELEASE AND WARRANTY INFORMATION ON THE REVERSE SIDE OF FORM.

QUANTITY CODE DESCRIPTION UNIT PRICE 5.00 3135 400 OB MPC W-3RA walled a said remaining out to experiments 5.00 ENVIROMENTAL FEE

2 HOUR DELAY SET

EXTENDED PRICE

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	TIME ALLOWED	DELAY EXPLANATION/CY	LINDER TEST TAKEN
			Yenesar	1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB	6 TRUCK BROKE DOWN 7 ACCIDENT 8 CITATION
LEFT PLANT	ARRIVED JOB	START UNLOADING		4 CONTRACTOR BROKE DOWN 5 ADDED WATER	9 OTHER
17/2	159	2 2 2 1 5 LA	one is tending at the	OF ADDLO WATER	I SHOW SHOW TO
( ) (0	0	-natural distribution	define to have be	nd Salina Rocki	
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME	IA state mer va	to desaid to tour	anistaliona Utyra
		7:30	CEMOI: RT	ELTISTOS TELTIS	Salaria of the
		1130	CEM02: 6-1:	9-CLASS F	Total III days a

Subtotal:

AND TOTAL

BATCH DATA									
Date/Time 08/21/2019	06:15	Ti	21200	Truc 170		MixCode 313B		eme/Id 9 TRACTING LTD	8844
Material 1 1/2 SAND 3/4	88D 792 1169	Target 3,676 6,060	Actual 3,540 6,060	lb lb	Var8	2.03	Moist 0.46m 4.23z	Load Returned Mix Slump	5.00 0.00 4.00
ZEM01	1128 450 130	5,708 2,250 650	3,700 2,235 645	lb lb lb	-0.1 -0.7 -0.0		1.21m	Mix Wat (GL) Trim Wat (GL Truck Wat (G	0.00
VATO2 MBAE90	0.00 25.00 4.50	0.00 79.88 22.50	0.00 81.00 23.00	gal gal os	1.4			Act: Wat(GL) Add Wat(GL) Mix Wt/Cm	2.70
MWRA DELVO	8.00	180.00	180.00 232.00	02 03	0.0			Act Wt/Cm	0,3631

P.O. BOX 938 ELLENSBURG, WASHINGTON 98926

PHONE 509-933-7050

### **ELLENSBURG** CEMENT PRODUCTS, INC.

CRUSHED GRAVEL WASHED

SAN let AVE 3

GRAHAM CONTRACTING LOD

SEATTLE MA 99104

### READY MIXED CONCRETE

CONT. REG. # ELLEN CP 225 DP

PRICE ALLOWS 8 MINUTES PER YARD TO UNLOAD TRUCK AFTER ARRIVAL. ALL TIME OVER THIS CHARGED FOR AT CURRENT RATES.

**CUSTOMER IS RESPONSIBLE FOR** PROVIDING ACCEPTABLE WASHDOWN AREA.

SHIP TO:

SAND & GRAVEL SOLD TO:

> VARIMA RIVER BRIDGES 643 102 W. 205-451-5520 comff in sast and d

WRITE'S DESIGNATED MACHOUS

TIME	MIX	LOAD SIZE	CY/M3 ORDERED	ZONE	DRIVER/TRUCK #	COUNTER START	TICKET#
14:09	328	9:00	5.00		166	0.00	legīta
DATE	P.O. #	LOAD#	CY/M3 DEL	BATCH #	WATER TRIM	SLUMP	PLANT
08/21/2019	3200023425		3,00			4.00	NEMCA PL
	WADNING	THE RELIEF TO POST OF THE	LUME DE	CONTROL OF A NATIONAL	Evcespive Water is	Detrimental to Con	812781

# IRRITATING TO THE SKIN AND EYES

Contains Portland Cement, Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water. If Irritation Persists, Get Medical Attention. KEEP AWAY

I HAVE READ AND UNDERSTAND ALL WARNINGS, PROPERTY DAMAGE RELEASE INFORMATION AND WARRANTY INFORMATION ON THE REVERSE SIDE OF THIS TICKET

Vater is Detrimental to Concrete Performance H<sub>2</sub>O Added By Request/Authorized By

GAL X

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE, DAMAGE RELEASE AND WARRANTY INFORMATION ON THE REVERSE SIDE OF FORM.

	FROM CHILDREI		Х		LOAD RECEIVED BY:		
QUANTITY	CODE	DESCRIPTION				UNIT PRICE	EXTENDED PRI
3.00 3.00 1.00 3.00	BELS O	CLASS M. ENVIROMENTS AD SHORT LOAD 2 HOUR DELA  AC 194 \$	AL REE Under 5 Cy AV SYT Fu	C 9214 BI#30 11 depth Deck of 4N Sex#3		awn 64,65 01334423 Tim 1418 Amb 75°	70
Ø 0 0	iay idea	ac ring				Conc 0	
RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	TIME ALLOWED	DELAY EXPLANATION/CY	LINDER TEST TAKEN	Shimp 3"	
			and the simple	1. JOB NOT READY 2. SLOW POUR OR PUMP	6. TRUCK BROKE DOWN 7. ACCIDENT	Slump 3" Air 4.9	
			and the simple	1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN	6. TRUCK BROKE DOWN	Slump 3	
RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	and the simple	1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB	6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION	Slump 3	4g/s

Data/Time 09/21/2019	14:09		34 <b>2</b> 0 169715	Tru: 165	1	MixCode 328		er Name/Id 88884 CONTRACTING LTD
Material	380	Target	Actual	Unis	Vala	WatC	Moist	1 Load 2.00
PG	1550	5,969	4,960	Lis	-1.49	7.27	1.71m	Returned 0.80 dv3
BAND	1200	3.993	2,900	1.35	-0 'a	19.15	4.00m	Mix 3lump 4.00
ZEM01	705	2,115	2,100	1.15	~0.37			.   Mis Wet (GL) 57.00
100	20.00	54.50	.57.00	gai.	4.4			Trim Wat (GL) -2.00
	26.00	00.06	94.00	<b>38</b>	0.0		to the second	Truck Wat (Gh) 0.00
twAA	84.00	192.00	192 00	: SS	0.0			Act Wat (GL) 86.80
EAE90	2.30	ē.90	6,00	C2 68	-13 10			Add Wat (Gb)   2.55
ELVO	8.00	169.20	168.00	<b>公里</b>	-0-3			Min We/Ca   013549
								Act Wt/Cm   0.2447

PHONE 509-933-7050

### **ELLENSBURG** CEMENT PRODUCTS, INC.

READY MIXED CONCRETE

PRICE ALLOWS 8 MINUTES PER YARD TO UNLOAD TRUCK AFTER ARRIVAL. ALL TIME OVER THIS CHARGED FOR AT CURRENT RATES.

918426

TOTAL ROUND TRIP

CRUSHED GRAVEL WASHED SAND & GRAVEL

**CUSTOMER IS RESPONSIBLE FOR** CONT. REG. # ELLEN CP 225 DP

PROVIDING ACCEPTABLE WASHDOWN AREA.

SHIP TO:

SOLD TO:

GRAHAM CONTRACTING LTD

568 let AVE 3 SEATTLE WA 98104

98844

YAKIMA RIVER BRIDGES 102 WB 205-491-6090

comE in east end VERIFY DESIGNATED WASHOUT

TIME	MIX	LOAD SIZE	CY/M3 ORDERED	ZONE	DRIVER/TRUCK #	COUNTER START	TICKET #
04:09	3138	5.00	20.00	Julie Walter	157 ( Lugar)	0.00	21257
DATE	P.O. #	LOAD #	CY/M3 DEL.	BATCH #	WATER TRIM	SLUMP	PLANT
08/23/2019	3200023425		5.00		TO SEE THE PERSON NAMED IN	4.00	

#### WARNING **IRRITATING TO THE SKIN AND EYES**

Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water. If Irritation Persists, Get Medical Attention. KEEP AWAY FROM CHILDREN

TOTAL AT JOB

UNLOADING TIME

05:35

I HAVE READ AND **UNDERSTAND ALL** WARNINGS, PROPERTY DAMAGE RELEASE INFORMATION AND WARRANTY INFORMATION ON THE REVERSE SIDE OF THIS TICKET.

**Excessive Water is Detrimental to Concrete Performance** H<sub>2</sub>O Added By Request/Authorized By

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE, DAMAGE RELEASE AND WARRANTY INFORMATION ON THE REVERSE SIDE OF FORM.

Tan:

**GRAND TOTAL** 

QUANTITY	CODE	DESCRIPTION		On the Party of th		UNIT PRICE EXTENDE	D PRICE
\$.00 5.00 5.00	213B 4 DEL2.0	4000D HPC W ENVIRONENTA	L FEE RI#	9217 24 1 Ridge	the open plus I family would	Khawn Glass ACI 01334425	1/
4	126602 11AB 11.	3 de dux	Sequ	v Brieffe nence #3 last a		Time 05:00 Auro 551	
RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	TIME ALLOWED	DELAY EXPLANATION/CY	LINDER TEST TAKEN	Corre	
			7-17-48-1	1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB	6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION	Slump 4" Air 5.14,	
LEFT PLANT	ARRIVED JOB	START UNLOADING		4. CONTRACTOR BROKE DOWN 5. ADDED WATER	9. OTHER		
423	455	05:10			STANDARD IN	alcongrand	

BATCH DATA	vair I	first the	200		1281					For Re 111	111	7
Date/Time 00/23/2019	04:13	Ti.	21257	True 157	zk	MixCode 313B			ame/Id 98 TPACTING LTD	1844		
Material: 1 1/2 5AND 2/4 CEM01 7 102 01 WAT02 MEAE90 MWRA DELVO	33D 732 1163 1128 450 130 0.00 26.00 4.50 36.00 8.00	Target 3,676 6,045 5,703 2,250 650 0.00 82.56 23.00 180.00 292.00	Actual 3,680 6,080 5,660 2,240 645 0.00 84.00 23.00 194.00 236.00	lb lb lb lb gel gel cs	Var8 0.1 0.5 -0.8 -0.4 -0.8 1.6 0.0 2.2 1.7	2.03 28.74 7.56	Moist 0.45m 3.97a 1.12m	- 1	Load Returned Mix Slump Mix Wat (GL) Trim Wat (GL) Truck Wat (GL) Act:Wat (GL) Add Wat (GL) Mix Wt/Cm Act Wt/Cm	0.00° 4) 0.00 126.00		
E = 11/11/182 3						WEIGHMA	STER SIGNATURE	X		INTERIOR STATE		3.3

CEM01 - R-975-19-06

CEM02: 6-19-CLASS F

PHONE 509-933-7050

### ELLENSBURG CEMENT PRODUCTS, INC.

CRUSHED GRAVEL WASHED SAND & GRAVEL

### READY MIXED CONCRETE

CONT. REG. # ELLEN CP 225 DP

PRICE ALLOWS 8 MINUTES PER YARD TO UNLOAD TRUCK AFTER ARRIVAL. ALL TIME OVER THIS CHARGED FOR AT CURRENT RATES.

CUSTOMER IS RESPONSIBLE FOR \*\*
PROVIDING ACCEPTABLE WASHDOWN AREA.

SHIP TO:

SOLD TO:

18436

GRAHAM CONTRACTING LTD 568 Lst AVE 3 SEATTLE WA 98104

98844

YAKIMA RIVER BRIDGES I 90

102 WB 98926 206-491-6890

comE in east end

VERIFY-DESIGNATED WASHOUT

TIME	MIX	LOAD SIZE	CY/M3 ORDERED	ZONE	DRIVER/TRUCK #	COUNTER STAHT	TICKET
05:14	313B	5.00	20.00	Tymlait rainini	158	0.00 69	21258
DATE	P.O #	LOAD #	CY/M3 DEL.	BATCH #	WATER TRIM	SLUMP	PLANT
08/23/2019	3200023422		10.00	Total Activities and and	The Aid States	4.00	

# WARNING IRRITATING TO THE SKIN AND EYES

Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water. If Irritation Persists, Get Medical Attention. KEEP AWAY FROM CHILDREN I HAVE READ AND
UNDERSTAND ALL
WARNINGS, PROPERTY
DAMAGE RELEASE
INFORMATION AND
WARRANTY INFORMATION
ON THE REVERSE SIDE OF
THIS TICKET.

Excessive Water is Detrimental to Concrete Performance H<sub>2</sub>O Added By Request/Authorized By

GAL

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE, DAMAGE RELEASE AND WARRANTY INFORMATION ON THE REVERSE SIDE OF FORM.

UNIT PRICE

LOAD RECEIVED BY:

QUANTITY CODE DESCRIPTION

5.00 313B 4000B HPC W-SRA

5.00 4 ENVIRONMENTAL FEE

5.00 DEL2.0 2 HOUR DELAY SET

9/6

EXTENDED PRICE

126602 18000

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	TIME ALLOWED	DELAY EXPLANATION/CYLINDER TEST TAKEN
			71/01/202	1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 8. CITATION
LEFT PLANT	ARRIVED JOB	START UNLOADING		4. CONTRACTOR BROKE DOWN 9. OTHER 5. ADDED WATER
	lotar	The second second		a little grant and a strict of the
	000	6:10		
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME	Law is a Yau	
	Line Samp Page		CEMO1: R-T1	Tb-19-06
		(1)3	OFFICA 2 12	0.01744 0

Subtobal: Tax: Total:

GRAND TOTAL

1 1/2	35118 33D 792	Tio Target	21258	Truc 158		MixCode 3135		ome/Id 98 PRACTING LTD	844	
1 1/2		Target	Service of T	5.00						
MBAE90	1188 1128 480 180 0.90 85.00 4.60	3,676 6,047 5,703 2,250 650 0.00 82.47 23.00	3,700 6,020 8,660 2,260 655 0.00 64.00 20.00	lb lb lb sel gel	-0.5 -0.8 -0.4 -0.8 -1.9 -0.0	2.03 28.98 7.66	Moist 0.46m 4.00a 1.12m	Load Returned Mix Slump Mix Wat(GL) Trim Wat(GL) Truck Wat(GL) Act Wat(GL) Add Wat(GL) Mix Wt/Cm	4.00 64.00 0.00 0.00 125.35 4.72 0.3739	
	8.00 8.00	232.00	186 96	51% 0.5	2.2		STER SIGNATURE	Acc We/Cm	0.3604	

PHONE 509-933-7050

### ELLENSBURG CEMENT PRODUCTS, INC.

READY MIXED CONCRETE

CURRENT RATES.

CUSTOMER IS RESPONSIBLE FOR

10436

CRUSHED GRAVEL WASHED SAND & GRAVEL

CONT. REG. # ELLEN CP 225 DP

CUSTOMER IS RESPONSIBLE FOR PROVIDING ACCEPTABLE WASHDOWN AREA.

SHIP TO:

EXTENDED PRICE

PRICE ALLOWS 8 MINUTES PER YARD

TO UNLOAD TRUCK AFTER ARRIVAL.

ALL TIME OVER THIS CHARGED FOR AT

SOLD TO:

GRAHAM CONTRACTING LTD 568 1st AVE 5 SEATTLE MA 98104

98844

I 90 mm102 102 WB 98926 206-491-6890

comE in east end VERITY BESIGNATED WASHOUT

TIME	MIX	LOAD SIZE	CY/M3 ORDERED	ZONE	DRIVER/TRUCK #	COUNTER START	TICKET #
06:19	313B	5.00	20.00	yalitel shows	188	0.00 (0.00)	21261
DATE	P.O. #	LOAD#	CY/M3 DEL	BATCH #	WATER TRIM	SLUMP	PLANT
09/23/2019	320002342B		15.00		COLUMN TO THE TOTAL PROPERTY.	4.00	

### WARNING IRRITATING TO THE SKIN AND EYES

Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water. If Irritation Persists, Get Medical Attention. KEEP AWAY FROM CHILDREN

I HAVE READ AND
UNDERSTAND ALL
WARNINGS, PROPERTY
DAMAGE RELEASE
INFORMATION AND
WARRANTY INFORMATION
ON THE REVERSE SIDE OF
THIS TICKET.

Excessive Water is Detrimental to Concrete Performance  $H_2O$  Added By Request/Authorized By

GAL )

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE, DAMAGE RELEASE AND WARRANTY INFORMATION ON THE REVERSE SIDE OF FORM.

LOAD RECEIVED BY

OUANTITY CODE DESCRIPTION

5.00 3138 4800D HPC W-SRA

5.00 4 ENVIROMENTAL FEE

5.00 DEL2.0 2 HOUR DELAY SET

150035 15

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	TIME ALLOWED	DELAY EXPLANATION/CYL	INDER TEST TAKEN
			at Daugesti	1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB	6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION
LEFT PLANT	ARRIVED JOB	START UNLOADING		4. CONTRACTOR BROKE DOWN 5. ADDED WATER	9. OTHER
415	asit	7105		a southit southing w	
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME	P. with the William	Burger group and and	

7:36

Subtotal: Tax:

or west against one

GRAND TOTAL

BATCH DATA								
Date/Time 08/23/2019	06:22	Ti	21261	True 155	sk.	MixCode 3135		er Name/Id 98844 CONTRACTING LTD
Matedial 1 1/2 SAND . 9/4 CEMO1 02 01 WAT02 MEAE90 MURA DELVO	732 1163 1128 450 130 0.00 26.00 4.60 36.00 8.00	Target 3,676 6,051 5,703 2,250 650 0.00 81.90 23.00 180:00 232.00	Actual 3,850 5,020 5,700 2,250 660 0.00 83.00 23.00 184.00 236.00	Unit 15 15 15 15 15 15 15 15 15 15 15 15 15	Vace -0.5 -0.5 -0.1 -0.0 -0.2 -0.0 -0.2 -0.0 -0.2 -0.0 -0.2 -0.0 -0.2 -0.0 -0.2 -0.0 -0.2 -0.0 -0.2 -0.0 -0.2 -0.0 -0.2 -0.0 -0.0	2.03 29.53 7.66	Moist 0.46m 4.07a 1.12m	Load
						WEIGHMAS	STER SIGNATURE )	

CEMO1: R-TTL-19-05

PHONE 509-933-7050

### ELLENSBURG CEMENT PRODUCTS, INC.

CRITETIE

CRUSHED GRAVEL WASHED SAND & GRAVEL

### READY MIXED CONCRETE

CONT. REG. # ELLEN CP 225 DP

PRICE ALLOWS 8 MINUTES PER YARD TO UNLOAD TRUCK AFTER ARRIVAL. ALL TIME OVER THIS CHARGED FOR AT CURRENT RATES.

CUSTOMER IS RESPONSIBLE FOR PROVIDING ACCEPTABLE WASHDOWN AREA.

SHIP TO:

SOLD TO:

8436

GRAHAM CONTRACTING LTD 568 ist AVE 3 3EATTLE WA 98104

98844

I 90 mm102 102 MB 98926 206-491-6930

comE in east end

VERIFY DESIGNATED WASHOUT

TIME	MIX	LOAD SIZE	CY/M3 ORDERED	ZONE	DRIVER/TRUCK #	COUNTER START	TICKET #
06:50	3138	5.00	20.00	VEISIT RANGE	156	0.00 10000	21269
DATE	P.O. #	LOAD#	CY/M3 DEL.	BATCH #	WATER TRIM	SLUMP	PLANT
08/22/2019	32000234294		20.00	1 0		4.00	

## WARNING IRRITATING TO THE SKIN AND EYES

Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water. If Irritation Persists, Get Medical Attention. KEEP AWAY FROM CHILDREN I HAVE READ AND
UNDERSTAND ALL
WARNINGS, PROPERTY
DAMAGE RELEASE
INFORMATION AND
WARRANTY INFORMATION
ON THE REVERSE SIDE OF
THIS TICKET.

Excessive Water is Detrimental to Concrete Performance  $H_2O$  Added By Request/Authorized By

GAL X

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE, DAMAGE RELEASE AND WARRANTY INFORMATION ON THE REVERSE SIDE OF FORM.

UNIT PRICE

LOAD RECEIVED BY:

OUANTITY CODE DESCRIPTION

5.00 319B 6000D MPC W-2FA
5.00 4 ENVIRONENTAL FEE
5.00 DEL2.0 2 HOUR DELAY SET

4/0

EXTENDED PRICE

orbina landali	INDER TEST TAKEN	DELAY EXPLANATION/CYL	TIME ALLOWED	FINISH UNLOADING	LEFT JOB	RETURNED TO PLANT
	6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION	1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB	YENGHA			
	9 OTHER	4. CONTRACTOR BROKE DOWN 5. ADDED WATER		START UNLOADING	ARRIVED JOB	ŁEFT PLANT
and leastly office.		O Haka elimin		71115	TOUN	7000
Subtobal		MARKET BERNE	Save in Marks	1170	1 10	(:00)
THE SO DELL	negative in the	s is the second to tax -		UNLOADING TIME	TOTAL AT JOB	TOTAL ROUND TRIP
Total:	multion shale	Cb-19-06	CEMO1: R-T.	0110		
GRAND TOTAL	A Parallel Services	r-ciass e	CEM02 - 6-1	8, 13		

BATCH DATA	4	2		91090				
Date/Time 08/23/2019	06:54	, Pi	cket 21264	True 156	zk.	MisCoda 2135		omer Name/Id 98844 AM CONTRACTING LTD
Material 1 1/2 SAND 3/4 CEMOI	33D 732 1163 1128 450	Target 3,676 6,049 5,703 2,250	Actual 2.660 5.060 5.720 2.243		Var4 -0.5 0.2 6.3 -0.2		Moist 0.46m 4.03a 1.12m	Load
O1 WATO2 WBAE90 WWRA DELVO	130 0.00 26.00 4.50 36.00 8.00	650 0.00 82.23 23.00 130.00 232.00	540 5.00 84.00 23.00 154.00 236.00	lb gal gal os os	2.2 0.0 2.2 1.7			Truck Wat(GL) 0.00   Act Wat(GL) 125.44   Add Wat(GL) 2.89   Mix Wt/Cm 0.3739   Act Wt/Cm 0.3638
						WEIGHMAS	STER SIGNATURE	X

PHONE 509-933-7050

### **ELLENSBURG** CEMENT PRODUCTS, INC.

PRICE ALLOWS 8 MINUTES PER YARD TO UNLOAD FRUCK AFTER ARRIVAL. ALL TIME OVER THIS CHARGED FOR AT CURRENT RATES.

8436

CRUSHED GRAVEL WASHED SAND & GRAVEL

READY MIXED CONCRETE

CONT. REG. # ELLEN CP 225 DP

**CUSTOMER IS RESPONSIBLE FOR** PROVIDING ACCEPTABLE WASHDOWN AREA.

SHIP TO:

SOLD TO:

GRAHAM CONTRACTING LTD 568 lst AVE 3 SEATTLE WA 98104

98844

I 90 mm102 102 WB 98926

205-491-6890

comE in east

VERIFY DESIGNATED WASHOUT

TIME	MIX	LOAD SIZE	CY/M3 ORDERED	ZONE	DRIVER/TRUCK #	COUNTER START	TICKET #
08:11	3138	7.00	27.00		155	0.00 101000	21269
DATE	P.O. #	LOAD #	CY/M3 DEL.	BATCH #	WATER TRIM	SLUMP	PLANT
08/23/2019	320002342	5	27.00			4.00	

#### WARNING **IRRITATING TO THE SKIN AND EYES**

Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water. If Irritation Persists, Get Medical Attention. KEEP AWAY FROM CHILDREN

I HAVE READ AND **UNDERSTAND ALL** WARNINGS, PROPERTY DAMAGE RELEASE INFORMATION AND WARRANTY INFORMATION ON THE REVERSE SIDE OF THIS TICKET.

Excessive Water is Detrimental to Concrete Performance H<sub>2</sub>O Added By Request/Authorized By

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE; DAMAGE RELEASE AND WARRANTY INFORMATION ON THE REVERSE SIDE OF FORM.

LOAD RECEIVED BY:

QUANTITY CODE DESCRIPTION 4900D HPC W-3RA 312B 7.80 4 7.00 ENVIROMENTAL FEE 7 .00 DEL2\_0 2 HOUR DELAY SET

EXTENDED PRICE

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	TIME ALLOWED 🔸	DELAY EXPLANATION/CYL	LINDER TEST TAKEN
			ALLYNINA	1. JOB NOT READY 2. SLOW POUR DA PUMP 3. TRUCK AHEAD ON JOB	6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION
LEFT PLANT	ARRIVED JOB	START UNLOADING		4 CONTRACTOR BROKE DOWN 5 ADDED WATER	9. OTHER
610	34100	1261,60		Pro Talinemberin to	of the self to
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME	7. 300 3.	I Course of Land	1000
		9130	CEMBI: R-TI	G-13-06	Tell in class
	2	11 22	CEM02: 6-19-	TLASS P	

Subtotal: TEK: Total:

RAND TOTAL

BATCH DATA			17	1	NAME OF THE OWNER, OWNE					- 4 1742 Julio 1	100
Date/Time		Til	oliza to	Truc	rk -	MixCode	Custo	mer Na	ante/Id	99944	
08/23/2019	08:15		21269	155		3135	GRAHI	M COM	PRACTING LT		
Material	330	Target	Actual	Unit	Vari	Watc	Moist	1	Load	7.00	
1 1/2	732	5,147	5,120	16	-0.5	2.84	.0.46m	1	Returned	0.00	
CINA	1169	8,478	8,480	1.25	0.0	42.12	4.14a		Mix Slump	9.00	
3/4	1128	7,984	8,000	1b	0.2	10.72	1.12m		Mix Wat (GL	) 115.00	
CEMOL	450	3,150	3,135	16	-0.5			- 1	Trim Wat (G	LY 0.00	
P2	130	910	915	1b	0.5			1	Truck Wat (	GL) 0.00	
01	0.00	0.00	0.00	gal					Act Wat (GL		
TAT02	26.00	113.81	115.00	gal	1,0				Add Wat (GL		
MBAE90	4.60	32.20	33.00	08	2.5	Value of the second		1	Mix Wb/Cm	0.3739	
AWRA	25.00	252.00	256.00	0.6	1.6	11 2 11		W. 18	Act Wt/Cm	0.2615	
DELVO	8.00	324.80	222.00	23.82	2.2						
						WEIGHMA	STER SIGNATURE	X			

PHONE 509-933-7050

### ELLENSBURG CEMENT PRODUCTS, INC.

READY MIXED CONCRETE

CONT. REG. # ELLEN CP 225 DP

PRICE ALLOWS 8 MINUTES PER YARD TO UNLOAD TRUCK AFTER ARRIVAL. ALL TIME OVER THIS CHARGED FOR AT CURRENT RATES.

CUSTOMER IS RESPONSIBLE FOR PROVIDING ACCEPTABLE WASHDOWN AREA.

SHIP TO:

18438

CRUSHED GRAVEL WASHED SAND & GRAVEL

SOLD TO:

GRAHAM CONTRACTING LTD S68 1st AVE 3 SEATTLE WA 98104

98844

1 90 mm102 102 WB 98926

206-491-6890

comE in east end

VERIFY DESIGNATED WASHOUT

TIME	MIX	LOAD SIZE	CY/M3 ORDERED	ZONE	DRIVER/TRUCK #	COUNTER START	TICKET
09:22	3138	6.50	33.50		157	0.00	21277
DATE	P.O. #	LOAD #	CY/M3 DEL.	BATCH #	WATER TRIM	SLUMP	PLANT
08/23/2019	3200023425		33.50			4.00	

# WARNING IRRITATING TO THE SKIN AND EYES

Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water. If Irritation Persists, Get Medical Attention. KEEP AWAY FROM CHILDREN I HAVE READ AND
UNDERSTAND ALL
WARNINGS, PROPERTY
DAMAGE RELEASE
INFORMATION AND
WARRANTY INFORMATION
ON THE REVERSE SIDE OF
THIS TICKET.

Excessive Water is Detrimental to Concrete Performance H<sub>2</sub>O Added By Request/Authorized By

GAL

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE, DAMAGE RELEASE AND WARRANTY INFORMATION ON THE REVERSE SIDE OF FORM.

LOAD REGELYED BY:

QUANTITY	CODE	DESCRIPTION	UNIT PRICE	EXTENDED PRICE
6.50	2138	4000D MFC W-3RA	THE REPORT OF STREET, WHEN	1
5.50	4	ENVIRONENTAL FEE		6/6
6.50	DEL2.0	2 HOUR DELAY SET		
Tanana .	A	TO A SECOND PROPERTY OF THE PROPERTY OF THE PARTY OF THE	The second secon	

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	TIME ALLOWED	DELAY EXPLANATION/CY	LINDER TEST TAKEN	and the spilling little
			TO AND	1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB	6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION	
LEFT PLANT	ARRIVED JOB	START UNLOADING		CONTRACTOR BROKE DOWN     ADDED WATER	9. OTHER	
936	10:16	101:30		Post to contrar to	Negline of the	Subtocal:
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME	Phase a sh	Andread Inches	18 116 TOOL TV	130
			CEMO1: R-T)	IL-19-06 9-CLASS F	pello deno	GRAND TOTAL

BATCH DATA Date/Time Ticket. Truck MixCode Customer Name/Id 98844 08/23/2019 09:26 21277 157 313B GRAHAM CONTRACTING LTD Material Targat Actual Unit Var\* WEEC Moist 6.80 Loster 1 1/2 433 4, 279 4,740 115 -0.9 2.64 0 - 45m Recurred 0.00 SAND 7,859 7,840 1163 -0.2 35.95 Lb 3.922 Misc Flamp 7,030 7,400 3/4 1125 -0.2 334 9.98 1.12m Mis Wat (GL) 2.925 CEMBI 450 2,915 1.15 -0.3 Trim Was (GL) 120 645 350 15 0.5 Truck Wat (Sh) 0.00 0.00 0.00 117 0.00 Act Wat (GL) 152.92 gal gal WAT02 25.00 107,93 1.09 .00 1.0 And Wat (GL) 5.95 4-50 29.90 0.3739 MBAE90 30.00 0.3 Mix Do/C'm C/35 36.80 MWRA 226.00 224 00 0.9 03 Act No/Cm 0.3800 DELVO 8.00 201.60 309\_00 OH.

WEIGHMASTER SIGNATURE X

PHONE 509-933-7050

### ELLENSBURG CEMENT PRODUCTS, INC.

READY MIXED CONCRETE

CONT. REG. # ELLEN CP 225 DP

PRICE ALLOWS 8 MINUTES PER YARD TO UNLOAD TRUCK AFTER ARRIVAL. ALL TIME OVER THIS CHARGED FOR AT CURRENT RATES.

CUSTOMER IS RESPONSIBLE FOR PROVIDING ACCEPTABLE WASHDOWN AREA.

SHIP TO

71334425

SOLD TO:

GRAHAM CONTRACTING LTD 558 lst AVE 3 SEATTLE WA 98104

CRUSHED GRAVEL

WASHED

SAND & GRAVEL

98844

TOTAL ROUND TAIP

YAKIMA RIVER BRIDGES I 9 MM 102 ELLENDBURG BRIDGE

ERIFY DESIGNATED WASHOUT

TIME	MIX	LOAD SIZE	CY/M3 ORDERED	ZONE	DRIVER/TRUCK #	COUNTER START	TICKET #
					The second second		
10:17	328	3.60	3.00		150	0.00	159920
DATE	P.O. #	LOAD#	CY/M3 DEL.	BATCH #	WATER TRIM	SLUMP	PLANT
09/36/2019	_ 320002342E		3.00			4.60	NRMCA PL

# WARNING IRRITATING TO THE SKIN AND EYES

Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water. If Irritation Persists, Get Medical Attention. KEEP AWAY FROM CHILDREN

TOTAL AT JOB

UNLOADING TIME

I HAVE READ AND
UNDERSTAND ALL
WARNINGS, PROPERTY
DAMAGE RELEASE
INFORMATION AND
WARRANTY INFORMATION
ON THE REVERSE SIDE OF
THIS TICKET.

Excessive Water is Detrimental to Concrete Performance
H<sub>2</sub>O Added By Request/Authorized By

305 GALX

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE, DAMAGE RELEASE AND WARRANTY INFORMATION ON THE REVERSE SIDE OF FORM.

LOAD RECEIVED BY

11 title Wille QUANTITY CODE DESCRIPTION UNIT PRICE EXTENDED PRICE 2100 328 C9214 CLASS M 3.00 EMVIROMENTAL PER BI# 30 1.00 SHORT LOAD SHORT LOAD UNDER 10:50 154N Bridge Time 196948 143+00, 44+ 73 2800% Amb 46105 Sump RETURNED TO PLANT LEFT JOB FINISH UNLOADING TIME ALLOWED DELAY EXPLANATION/CYLINDER TEST TAKEN JOB NOT READY ACCIDENT TRUCK AHEAD ON JOB CITATION LEFT PLANT CONTRACTOR BROKE DOWN ARRIVED JOB START UNLOADING Shawn 6lass 5. ADDED WATER

GRAND TOTAL

**BATCH DATA** Date/Time Truck Tirket MixCode Customer Name/Id 98644 08/30/2019 10:17 169920 Material Target 330 Actual Unit Vari Marc Moist 4,900 PG -0:5 7.27 1650 5,009 1.21m 125 0.00 Returned SAND 1280 3,993 4,040 lib 1.2 19 15 4.00m Mix Blump 4.00 CEMOL 708 2,115 2,098 -0-8 18 Mix Wan (GL) 60.00 WATO1 30.00 57.58 50.00 9.2 gg1 Trim Wat (GL) -1.00 28.00 84.00 88.00 4.5 Truck Wat (GL) 0.00 64.00 192.00 192.00 MountA 0.0 Act Wat (GL) 88.65 MBAEGO 2 20 6.90 7 00 Add Wat (GL) 0.30 Min Wb/Cm 0.9549 Act Wo/Cm 0.3597

WEIGHMASTER SIGNATURE X

PHONE 509-933-7050

**ELLENSBURG** CEMENT PRODUCTS, INC.

518426

CRUSHED GRAVEL WASHED SAND & GRAVEL

### READY MIXED CONCRETE

CONT. REG. # ELLEN CP 225 DP

PRICE ALLOWS 8 MINUTES PER YARD TO UNLOAD TRUCK AFTER ARRIVAL. ALL TIME OVER THIS CHARGED FOR AT CURRENT RATES.

**CUSTOMER IS RESPONSIBLE FOR** PROVIDING ACCEPTABLE WASHDOWN AREA.

SOLD TO: SHIP TO: GRAHAM CONTRACTING LTD I 90 mm102 566 lst AVE S 1102 WB 98925 SEATTLE WA 99104 205-491-6890 end comE in east 98844 VERIFY DESIGNATED WASHOUT

TIME	MIX	LOAD SIZE	GY/M3 ORDERED	ZONE	DRIVER/TRUCK #	COUNTER START	TICKET #
08:01	3198	6150	11.00		187	6/00	21484
DATE	P.O. #	LOAD #	CY/M3 DEL.	BATCH #	WATER TRIM	SLUMP	PLANT
09/04/2019	220002342E		5.504			9.00	

#### WARNING IRRITATING TO THE SKIN AND EYES

Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water. If Irritation Persists, Get Medical Attention, KEEP AWAY FROM CHILDREN

I HAVE READ AND UNDERSTAND ALL WARNINGS, PROPERTY DAMAGE RELEASE INFORMATION AND WARRANTY INFORMATION ON THE REVERSE SIDE OF THIS TICKET.

Excessive Water is Detrimental to Concrete Performance H<sub>2</sub>O Added By Request/Authorized By

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE, DAMAGE RELEASE AND WARRANTY INFORMATION ON THE REVERSE SIDE OF FORM.

LOAD RECEIVED BY

QUANTITY CODE DESCRIPTION UNIT PRICE **EXTENDED PRICE** 373B 40000 MPC W-SRA 5.50 C9214 8.30 ENVIRONENTAL PEE BI# 24 2 HOUR DELAY SET Beidge 154N Sox \*6 middle 44700 to 1200 b8 12A312B Amb 670 Conc 790 Tester shown Glass Act 013344ds 5/1mp 3 1/a RETURNED TO PLANT FINISH UNLOADING TIME ALLOWED DELAY EXPLANATION/CYLINDER TEST TAKEN 4.7 ACCIDENT TRUCK AHEAD ON JOB B. CITATION 9. OTHER LEFT PLANT START UNLOADING ARRIVED JOB 5 ADDED WATER 9703 Subsovel Taxe: TOTAL ROUND TRIP UNLOADING TIME TOTAL AT JOB 9155 **GRAND TOTAL** 

BATCH DATA					1000	No.		
Date/Time 09/04/2019	08:05		cket 21484	Ten: 157	-k	MixCode 3138		er Name/Id 98844 CONTRACTING LTD
Material 1 1/2 3AND 3/4 CEMBI CEMBI SATOL VATOR IBATSO IMPA	33D 732 1169 1123 450 130 0.00 26.00 4.60 26.00	Target 9,000 7,005 7,419 2,925 848 0.00 108.53 29.90 234.00	Actusi 4,750 7,940 7,480 2,900 845 0.00 110.00 20.00 240.00	1b	Vare -0.9	5.18 34.32 9.46	Moist 0.90m 3.65s 1.12m	Load
HELIVO	8.00	201.60	309 00	63.8	2.1		STER SIGNATURE	940(

### ELLENSBURG CEMENT PRODUCTS, INC.

PHONE 509-933-7050

CRUSHED GRAVEL
WASHED
SAND & GRAVEL

READY MIXED CONCRETE

CONT. REG. # ELLEN CP 225 DP

PRICE ALLOWS 8 MINUTES PER YARD TO UNLOAD TRUCK AFTER ARRIVAL. ALL TIME OVER THIS CHARGED FOR AT CURRENT RATES.

CUSTOMER IS RESPONSIBLE FOR PROVIDING ACCEPTABLE WASHDOWN AREA.

SHIP TO:

EXTENDED PRICE

SOLD TO:

GRAHAM CONTRACTING LTD

SEATTLE WA 99104

98398

I 90 mm102

208-491-8690

comE in east

WERIEV DESIGNATED, WASHOUT

TIME	MIX	LOAD SIZE	CY/M3 ORDERED	ZONE	DRIVER/TRUCK #	COUNTER START	TICKET#
09:07	2108	4.50	11,00		158	0.00	21485
DATE	P.O. #	LOAD#	CY/M3 DEL.	BATCH #	WATER TRIM	SLUMP	PLANT
09/04/2019	3260623428		11.00	NAVAP NE SITUATION OF		4,00	

### WARNING IRRITATING TO THE SKIN AND EYES

Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water. If Irritation Persists, Get Medical Attention. KEEP AWAY FROM CHILDREN I HAVE READ AND
UNDERSTAND ALL
WARNINGS, PROPERTY
DAMAGE RELEASE
INFORMATION AND
WARRANTY INFORMATION
ON THE REVERSE SIDE OF
THIS TICKET.

Excessive Water is Detrimental to Concrete Performance  $H_2O$  Added By Request/Authorized By

Sals GALX

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE, DAMAGE RELEASE AND WARRANTY INFORMATION ON THE REVERSE SIDE OF FORM.

UNIT PRICE

LOAD RECEIVED BY:

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	TIME ALLOWED	DELAY EXPLANATION/CYLINI	DER TEST TAKEN
			Terrenda	2. SLOW POUR OR PUMP 7	ACCIDENT
LEFT PLANT	ARRIVED JOB	START UNLOADING	H JET ANDE		OTHER
	156	9159			mike um.
	91)	9/3/	0.3	and Asympton and the	
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME	A STATE OF THE	tides thereof my limited	
		HISION SHELL SA	SINGL: R-T	TL-19-05	
The state of the s				attended to the control of the contr	

0/		
550		
	1000	

Tak Topal:

Subtonel

GRAND TOTAL

BATCH DATA								
Dure/Time			ckes					mer Name/Id 93844
09/04/2019	09:11	7	21485	150		3738	GRAZIA	AM CONTRACTING LTD
Material	38D	Target	Actual	Unit	Vari	Natio	Moist	Load 4.50
1 1/2	722	0,023	2,240				10 9 0m	Returned 0.00
SAND	2162	5,424	5.420	1.6	70.1	29.75	3165a	Mix Slump 4.00
3/4	1128	5,132	5,160	18	0.5	5.89	1.12m	Mis Wat (GL) 76.00
CEMO)	450	2,025	2,020	lb)	-0.2			( Trim Was (GL) 0.00
CEMO2	130	585	575	1.6	-1.7			( Pruck Wat (GL) 0.00
WATO1	0.00	0.00	0.00	gal				Adt Wat (GL) 113.33
MATTO2	25.00	74.85	76.00	gal	1.5			( Avid War (GL) 2.98
MEAZ90	4.50	20.70	/21.00	200	1.4			Mix Wt/Cm   0.3739
MMPA )	35.00	162.60	168.00	0.8	2.7			F Act Nt/Cm 0.3644
DELVO Y	8.00		212.00					
						WEIGHMA	STED CICMATURE	X 73.00

PHONE 509-933-7050

### **ELLENSBURG** CEMENT PRODUCTS, INC.

READY MIXED CONCRETE

PRICE ALLOWS 8 MINUTES PER YARD TO UNLOAD TRUCK AFTER ARRIVAL. ALL TIME OVER THIS CHARGED FOR AT CURRENT RATES.

**CUSTOMER IS RESPONSIBLE FOR** PROVIDING ACCEPTABLE WASHDOWN AREA.

CRUSHED GRAVEL WASHED

SAND & GRAVEL CONT. REG. # ELLEN CP 225 DP SOLD TO: SHIP TO: GRAHAM CONTRACTING LTD YARIMA RIVER BRIDGES 568 Lat AVE Selling Harris MM 102 ELGENDBURG SRIDGE SEATTLE WA 98104 98844 TERIFY DESIGNATED WASHOUT

TIME	MIX	LOAD SIZE	CY/M3 ORDERED	ZONÉ	DRIVER/TRUCK #	COUNTER START	TICKET #
10.91	929	3 00	3.00		Hall Const	land and	169974
DATE	P.O. #	LOAD#	CY/M3 DEL.	BATCH #	WATER TRIM	SLUMP	PLANT
09/04/2019	320002342B		3.00		AND E-CARGOSIA	4.00	MPMCA PLA
	****	LOGITADES VILLEY	CHECK BY THE WORLD MAKED	ATTEMPT OF STREET	THE SAME PROPERTY.		10 A 6 10 A

#### WARNING **IRRITATING TO THE SKIN AND EYES**

Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water. If Irritation Persists, Get Medical Attention. KEEP AWAY FROM CHILDREN

QUANTITY

I HAVE READ AND UNDERSTAND ALL WARNINGS, PROPERTY DAMAGE RELEASE INFORMATION AND WARRANTY INFORMATION ON THE REVERSE SIDE OF THIS TICKET.

Excessive Water is Detrimental to Concrete Performance H<sub>2</sub>O Added By Request/Authorized By

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE, DAMAGE RELEASE AND WARRANTY INFORMATION ON THE REVERSE SIDE OF FORM.

LOAD RECEIVED BY:

CODE DESCRIPTION UNIT PRICE EXTENDED PRICE 3.00 CLASS M C9214 3.00 ENVIROMENTAL BI#30 1.00 SHORT LOAD SHORT LOAD UNDER Bridge 154 N 126669 28 day ACT \* 013344 ds Testu Shawn 6/485 RETURNED TO PLANT FINISH UNLOADING TIME ALLOWED LEFT JOB DELAY EXPLANATION/CYLINDER TEST TAKEN SLOW POUR OR PUMP ACCIDENT CITATION TRUCK AHEAD ON JOB CONTRACTOR BROKE DOWN LEFT PLANT ARRIVED JOB START UNLOADING 9. OTHER ADDED WATER 14:07 TOTAL ROUND TRIP TOTAL AT JOB UNLOADING TIME The second 19:92 **GRAND TOTAL** 

BATCH DATA			MAN V				ALC: N		. 137	0.14	
Date/Time 09/04/2019	13:31		cket 169279	Trus 154		MixCode 328			me/Id S		
Material PG SAND CEM01 CEM02 WAT01 WPA MPA MBAE90	33D 1650 1890 0 705 30.00 23.00 64.00 2.30	Targer 5,009 3,992 0 2,118 45.50 84.00 192.00 6.90	Actual 4,930 6,040 0 2,120 49.00 94.00 198.00	Unit lb lb lb gsl os os	Var4 -0.6 1.2 0.2 5.3 0.0 0.0	7.27	Moist 1.21m 4.80m	-	Returned Mix Slump Mix Wat (GL) Trim Wat (GL) Truck Wat (GL) Act Wat (GL) Mix Wt/Cm Act Wt/Cm	(4) 0.00 (5b) 18.00 ( 91.82 ( -1.60 ( 0.3549	7,57
- 177					4	WEIGHMA	STER SIGNATURE	Χ			

PHONE 509-933-7050

**ELLENSBURG** CEMENT PRODUCTS, INC.

818435

CRUSHED GRAVEL WASHED SAND & GRAVEL

08:00

### READY MIXED CONCRETE

CONT. REG. # ELLEN CP 225 DP

PRICE ALLOWS 8 MINUTES PER YARD TO UNLOAD TRUCK AFTER ARRIVAL. ALL TIME OVER THIS CHARGED FOR AT CURRENT RATES.

**CUSTOMER IS RESPONSIBLE FOR** PROVIDING ACCEPTABLE WASHDOWN AREA.

GRAND TOTAL

SOLD TO: SHIP TO: GRANAM CONTRACTING LTD I 90 mm 102 560 Dry AVE 2 102 WB 98925 BEATTLE NA STING 205-491-5890 comE in emst 90014 WERLEY DESIGNATED WASHOUT TIME MIX LOAD SIZE CY/M3 ORDERED 70NF DRIVER/TRUCK # COUNTER START TICKET # 05:49 313B 5.00 11.00 157 0.00 21522 DATE P.O. # LOAD # CY/M3 DEL BATCH # WATER TRIM SLUMP PLANT 09/06/2019 320662342 5,00 9.00 **Excessive Water is Detrimental to Concrete Performance** WARNING I HAVE READ AND IRRITATING TO THE SKIN AND EYES H<sub>2</sub>O Added By Request/Authorized By UNDERSTAND ALL GAL X Contains Portland Cement. Wear Rubber Boots WARNINGS, PROPERTY and Gloves. PROLONGED CONTACT MAY CAUSE DAMAGE RELEASE BURNS. Avoid Contact With Eyes and Prolonged NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE INFORMATION AND READ THE HEALTH WARNING NOTICE, DAMAGE RELEASE Contact With Skin. In Case of Contact With Skin or WARRANTY INFORMATION AND WARRANTY INFORMATION ON THE REVERSE SIDE OF Eyes, Flush Thoroughly With Water. If Irritation FORM. ON THE REVERSE SIDE OF Persists, Get Medical Attention, KEEP AWAY THIS TICKET. LOAD RECEIVED BY: FROM CHILDREN QUANTITY UNIT PRICE EXTENDED PRICE 5.00 3135 4000D, HPC W-3PA -C9214 5.00 ENVIROMENTAL FEE BI# 24 DELZ 0 HOUR DELAY SET Tim 7:00 126cha Amb 65' Cone 740 6/455 ACI: 01334925 Tasker ! shown slump 5" RETURNED TO PLANT LEFT JOB FINISH UNLOADING TIME ALLOWED DELAY EXPLANATION/CYLINDER TEST TAKEN Air 5.6 TRUCK BROKE DOWN JOB NOT READY SLOW POUR OR PUMP TRUCK AHEAD ON JOB CONTRACTOR BROKE DOWN ACCIDENT CITATION LEFT PLANT ARRIVED JOB START UNLOADING OTHER 5. ADDED WATER 07:02 Subtotal: THE P TOTAL ROUND TRIP TOTAL AT JOB UNLOADING TIME Total: CEMO1

BATCH DATA					4 - 5					
Date/Time		Ti	o loe t	True	ck	MixCode	Cue/sob	ner Name/Id	98844	
09/08/2019	05:52		54253	157		212B		/ CONTRACTING		
Material	33D	Target	Actual	Unit	Vare	Watc	Moist	Load	5.00	
1 1/2	722	3,678	3, 340	16	-1.0	2.21	0.50m	Reburn	rd 0.00	
SAND	1163	6,012	· \$ ,000	l.b	-0.2	24.47	3.33a	.   Mix Sla	thp 4.00	
3/9	1128	5,703	. 3 680	1b	-0.9	77.66	1.12m	Mix Wat	(GL) 88.00	
CEMOL	450	2,250	2,258	1 lb	0.2			1 Trim W	at (GL) 0.00	
CEM02	130	650	675	1b	3.8				Wat (GL) 0.00	
WATCL	0.00	0.00	0.00	gal					(GL) 125.70	
WAT02	28.00	96.46	00.00	ggl	1.8			Add Wat		10
MBAE90 /	4.60	23,00	23.00	OH	0.0			Max Wo		100
MURA	36.00	180 00	184.00	OB	2.2			Act Wt		
DELVO	8.00	272.00	235.00	0.85	1.7					
		1,72				1				1574
S17	10 July 18 18 18 18 18 18 18 18 18 18 18 18 18	1				WEIGHMA	STER SIGNATURE	X		10000

PHONE 509-933-7050

ELLENSBURG CEMENT PRODUCTS, INC.

818436

CRUSHED GRAVEL
WASHED
SAND & GRAVEL

### READY MIXED CONCRETE

PRICE ALLOWS 8 MINUTES PER YARD TO UNLOAD TRUCK AFTER ARRIVAL. ALL TIME OVER THIS CHARGED FOR AT CURRENT BATES.

CUSTOMER IS RESPONSIBLE FOR PROVIDING ACCEPTABLE WASHDOWN AREA.

SAND & GRAVEL CONT. REG. # ELLEN CP 225 DP SHIP TO: SOLD TO: GRAHAM CONTRACTING LTD I 90 mm102 102 WB 98926 SEE LET AVE S SEATTLE WA 98104 206-491-6890 comE in east end VERIFY DESIGNATED WASHOUT 98994 ZONE TICKET # CY/M3 ORDERED DRIVER/TRUCK # COUNTER START TIME MIX LOAD SIZE 169 21826 06:54 313B 5.00 11.00 0.00 CY/M3 DEL LOAD # BATCH # WATER TRIM SLUMP PLANT DATE PO. # 9.00 09/06/2019 3200023422 11.60 **Excessive Water is Detrimental to Concrete Performance** WARNING I HAVE READ AND H<sub>2</sub>O Added By Request/Authorized By **IRRITATING TO THE SKIN AND EYES UNDERSTAND ALL** 10 GAL X Contains Portland Cement. Wear Rubber Boots WARNINGS, PROPERTY and Gloves. PROLONGED CONTACT MAY CAUSE DAMAGE RELEASE NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE BURNS. Avoid Contact With Eyes and Prolonged INFORMATION AND READ THE HEALTH WARNING NOTICE, DAMAGE RELEASE Contact With Skin. In Case of Contact With Skin or WARRANTY INFORMATION AND WARRANTY INFORMATION ON THE REVERSE SIDE OF Eyes, Flush Thoroughly With Water. If Irritation FORM. ON THE REVERSE SIDE OF Persists, Get Medical Attention. KEEP AWAY THIS TICKET. LOAD RECEIVED BY: FROM CHILDREN

QUANTITY CODE DESCRIPTION

5.00 \$135 40000 HPC W-YFA

5.00 \$ ENVIRONENTAL FEE C9214

6.00 DEL2.0 2 HOUR DELAY SET 32/4 24

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	TIME ALLOWED	DELAY EXPLANATION/CYLINDER TEST TAKEN	
	tes kot	5/m VI! (-16)	58 ACI: C	/13 JgB NOTHEADY S 6. TRUCK BROKE DOWN 2. SLOW POUR ÔR PUMP 7. ACCIDENT 3. TRUCK AHEAD ON JOB 8. CITATION	
LEFT PLANT	ARRIVED JOB	START UNLOADING		4. CONTRACTOR BROKE DOWN 9. OTHER 5. ADDED WATER	
	17:10	08103		king a freedomic worlds from	Subtotal:
0716	0111	08102			Tax:
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME			Total:
			CEMOL: R-TI	L-19-06	
			CEM02: 6-19	FCLASS F	GRAND TOTAL
		~ ~ ~ ~ ~	1	A Property of the Control of the Con	

BATCH DATA								
Date/Time 09/06/2019	ner, an	71	cket 21526	True	rhe .	MixCode 3135		mer Name/Id 38844 M CONTRACTING LTD
527 887 8343	SIDE OF S		a. 公司 (6. 2)	764	90	0.200	CONTRACT LEGG	D CONTINCTANO DE
Material .	SSD	Target	Actual	Unit	Vart	Watc	Moist	Load 6.00
1 1/2	732	4,413	4,280	2.6	-8.8	2.65	0.50m	1 Returned 6.00
SAND	1163	7,217	7,260	1b	0.6	29.77	3.442	) Miss Slump. 4.00
3/4	1128	6,843	6,820	16	-0.2	9.19	1.12m	Mix Wat (GL) 104.00
EM01	450	2,700	2,715	1.15	0.6			Trim Wat (GL) 0.00
E)102	130	780	780	1b	0.0			Truck Wat (GL) 0.00
ATOL	0.00	0.00	0.00	gal				Act Wat (GL) 149.88
AT02	26.00	103.95	109.00	gal	0.0			Add Wat (GL) 6.79
ABAESO	4.60	27.60	28.08	08	1.4			Min Wt/Cm 0.9739
IWRL	35.00	216.00	220.00	OS	1.9			( Act Wt/Cm 000577.
DELVO	5.00	278.40	284.00	03	2.0			
-25					3	WEIGHMAS	STER SIGNATURE	X

PHONE 509-933-7050

### ELLENSBURG CEMENT PRODUCTS, INC.

READY MIXED CONCRETE

DY MIXED CONCRETE

CONT. REG. # ELLEN CP 225 DP

PRICE ALLOWS 8 MINUTES PER YARD TO UNLOAD TRUCK AFTER ARRIVAL. ALL TIME OVER THIS CHARGED FOR AT CURRENT RATES.

CUSTOMER IS RESPONSIBLE FOR PROVIDING ACCEPTABLE WASHDOWN AREA.

SHIP TO:

SOLD TO:

GRAHAM CONTRACTING LTD 568 1st AVE 2 3EATTLE WA 98104

CRUSHED GRAVEL

WASHED

SAND & GRAVEL

98844

YAKIMA RIVER BRIDGES I 90
MM 102 ELLENDBURG BRIDGE
COME IN ON WEST END

MERIFY DESIGNATED WASHOUT

TIME	MIX	LOAD SIZE	CY/M3 ORDERED	ZONE	DRIVER/TRUCK #	COUNTER START	TICKET #
13:28	928	9.00	3.00	And the	157	0.00	170039
DATE	P.O. #	LOAD #	CY/M3 DEL.	BATCH #	WATER TRIM	SLUMP	PLANT
09/09/2019	920002342E		3.00			4.00	NRMCA PLO

### WARNING IRRITATING TO THE SKIN AND EYES

Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water. If Irritation Persists, Get Medical Attention. KEEP AWAY FROM CHILDREN I HAVE READ AND
UNDERSTAND ALL
WARNINGS, PROPERTY
DAMAGE RELEASE
INFORMATION AND
WARRANTY INFORMATION
ON THE REVERSE SIDE OF
THIS TICKET.

Excessive Water is Detrimental to Concrete Performance
H,O Added By Request/Authorized By

GAL X

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE, DAMAGE RELEASE AND WARRANTY INFORMATION ON THE REVERSE SIDE OF FORM.

UNIT PRICE

LOAD RECEIVED BY

RUSTPCC172 TZ WAQTC60097

C9214 2:00 PM B.I. #30 TEMP-78° AIR-4%

EXTENDED PRICE

AIR - 4% SLUMP - 2,5"

TRANS = Ø126 d3a CYL'S = FD22 A+B

RETURNED TO PLANT LEFT JOB FINISH UNLOADING TIME ALLOWED DELAY EXPLANATION/CYLINDER TEST TAKEN TRUCK BROKE DOWN ACCIDENT JOB NOT READY SLOW POUR OR PUMP TRUCK AHEAD ON JOB CONTRACTOR BROKE DOWN CITATION 9. OTHER LEFT PLANT ARRIVED JOB START UNLOADING ADDED WATER 00 TOTAL ROUND TRIP TOTAL AT JOB **UNLOADING TIME** 

Subtobal:

Tax:

GRAND TOTAL

BATCH DATA							
Date/Time 09/09/2019	13:28	Ticket 170039	Truck 157	MixCode 328		Name/Id 90044 CONTRACTING LTD	
Material / PG SAND CEMO1 WATC1 WPA MWRA MEAE90	33D 1650 1280 705 30.00 28.00 64.00 2.30	Target Actu 4,985 5.0 3,993 3.9 2,115 2,1 59.10 62. 34.00 88. 192.00 192. 6.90 6.0	0 1b -0.8 5 1b 1.4 0 gml 4.9 0 os 4.8	4.24 19.15	Moist 0.71m 4.00m	Load	The state of the s
				WEIGHMAS	STER SIGNATURE X	The second secon	

PHONE 509-933-7050

SOLD TO:

98844

TIME

DATE

09/10/2019

14:02

### **ELLENSBURG** CEMENT PRODUCTS, INC.

READY MIXED CONCRETE

PRICE ALLOWS 8 MINUTES PER YARD TO UNLOAD TRUCK AFTER ARRIVAL. ALL TIME OVER THIS CHARGED FOR AT CURRENT RATES.

**CUSTOMER IS RESPONSIBLE FOR** PROVIDING ACCEPTABLE WASHDOWN AREA.

T 90

SHIP TO:

NEMCA PLA

EXTENDED PRICE

WASHED SAND & GRAVEL

CRUSHED GRAVEL CONT. REG. # ELLEN CP 225 DP

YAKIMA RIVER BRIDGES GRAHAM CONTRACTING LIT 368 lst AVE 3 MM 102 ELLENDEURG BRIDGE SEATTLE WA 98104 COME IN ON WEST END

3.00

WERIFY DESIGNATED WASHOU

MIX LOAD SIZE CY/M3 ORDERED **ZONE** DRIVER/TRUCK # COUNTER START TICKET # 298 2 00 2 00 0.00 159 170073 P.O. # LOAD # CY/M3 DEL. BATCH # WATER TRIM SLUMP PLANT

WARNING IRRITATING TO THE SKIN AND EYES

3200023426

Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water. If Irritation Persists, Get Medical Attention. KEEP AWAY FROM CHILDREN

1 HAVE READ AND **UNDERSTAND ALL** WARNINGS, PROPERTY DAMAGE RELEASE INFORMATION AND WARRANTY INFORMATION ON THE REVERSE SIDE OF THIS TICKET.

Excessive Water is Detrimental to Concrete Performance H2O Added By Request/Authorized By

4.50

GAL X

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE, DAMAGE RELEASE AND WARRANTY INFORMATION ON THE REVERSE SIDE OF FORM.

UNIT PRICE

LOAD RECEIVED BY

QUANTITY CODE DESCRIPTION 3 80 328 CLASS M 2.00 ENVIROMENTAL FEE 1.00 SHORT LOAD SHORT LOAD UNDER 5

RUSTPCC 172 WAQTC 60097

9214 :30 PM Ail: 5,0% 5 Jump= 2.5" TRANS #012606C CYL'S = FD-23 A+B

RETURNED TO PLANT FINISH UNLOADING LEFT JOB TIME ALLOWED DELAY EXPLANATION/CYLINDER TEST TAKEN JOB NOT READY SLOW POUR OR PUMP TRUCK BROKE DOWN ACCIDENT TRUCK AHEAD ON JOB CONTRACTOR BROKE DOWN CITATION LEFT PLANT ARRIVED JOB START UNLOADING 9. OTHER ADDED WATER TOTAL ROUND TRIP TOTAL AT JOB UNLOADING TIME

Subtotalo

Tistac : Post al

GRAND TOTAL

**BATCH DATA** Oste/Time Ticket Truck MixCode Customer Name/Id 09/10/2019 14:02 170073 159 328 GRAHAM CONTRACTING LTD Material 930 Actual Target Unit Vare WatC Moist 3.00 PG. 1650 4,985 4,940 1h -0.99.24 0.71m Returned 0.00 SAND 4.00m 1280 3,993 3,950 115 -0.8 19,15 Mix Slump 4.50 80 CEM01 2,095 708 2,115 115 -0.9 Mix Wat (GL) 62.00 WATO1 30.00 59.10 62.00 gal 4,9 Trim Wat (GL) -2.00 WRA. 26.00 108.00 109 00 02 u C Truck Wat (GL) 0.00 MWRA 54\_00 192.00 192.00 220 0\_0 Act Wat (GL) 87.50 MEAE90 2 90 6.90 7.00 0.6 Add Wat (GL) 1.55 Mix Wt/Cm 0.3549 Wt/Cm 0.3487

CEMO1 - MUR-IL-2018-

12-18 CTARR F

CEMINO.

CEMBR.

WEIGHMASTER SIGNATURE X

PHONE 509-933-7050

# ELLENSBURG CEMENT PRODUCTS, INC.

CRUSHED GRAVEL WASHED SAND & GRAVEL

### READY MIXED CONCRETE

CONT. REG. # ELLEN CP 225 DP

PRICE ALLOWS 8 MINUTES PER YARD TO UNLOAD TRUCK AFTER ARRIVAL. ALL TIME OVER THIS CHARGED FOR AT CURRENT RATES.

**CUSTOMER IS RESPONSIBLE FOR** PROVIDING ACCEPTABLE WASHDOWN AREA.

SHIP TO:

SOLD TO:

GRAHAM CONTRACTING LTD 560 let AVE 3 SEATPLE WA 98104

98844

T 90 mm102 rowE in mast

102 3% 98925 205-491-5290 VERIEV DEBIGNATED WASHOUT

DR)

TIME	MIX	LOAD SIZE	CY/M3 ORDERED	ZONE	DRIVER/TRUCK #	COUNTERSTART	TICKET#
08:39	313	8.00	8180		157	0.00	178111
DATE	P.O. #	LOAD #	CY/M3 DEL.	BATCH#	WATER TRIM	SLUMP	PLANT
09/12/2019	320002342 <b>3</b> L		8.00			4.00	NRMCA PLT
	WARNING	THE PROPERTY OF	LUAVED	PEAD AND	Excessive Water	s Detrimental to Con	crete Performance

#### WARNING IRRITATING TO THE SKIN AND EYES

Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water. If Irritation Persists, Get Medical Attention. KEEP AWAY FROM CHILDREN

I HAVE READ AND **UNDERSTAND ALL** WARNINGS, PROPERTY DAMAGE RELEASE INFORMATION AND WARRANTY INFORMATION ON THE REVERSE SIDE OF THIS TICKET.

H<sub>2</sub>O Added By Request/Authorized By GAL X

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE, DAMAGE RELEASE AND WARRANTY INFORMATION ON THE REVERSE SIDE OF FORM

UNIT PRICE

LOAD RECEIVED BY

~ CODE QUANTITY DESCRIPTION 0.00 212 40000 HPC ESURG 8.00 2 ENVIRONENTAL FEE 8.00 DEL2 0 2 MOUR DELAY

RUSTPCC172 WARTC60097

TemP = 720 AiR = 7.0% SLUMP = 6.5"

EXTENDED PRICE

TRANS = 126da7 RETURNED TO PLANT LEFT JOB TIME ALLOWED FINISH UNLOADING DELAY EXPLANATION/CYLINDER TEST TAKEN SAMPLE # 154N.14A+8 JOB NOT READY TRUCK BROKE DOWN 8:20 B.I. # 24 SLOW POUR OR PUMP ACCIDENT CITATION TRUCK AHEAD ON JOB CONTRACTOR BROKE DOWN LEFT PLANT ARRIVED JOB START UNLOADING 9. OTHER ADDED WATER Subtotal:

TOTAL ROUND TRIP TOTAL AT JOB **UNLOADING TIME** 

X

Tax: Total

GRAND TOTAL

Date/Time 09/12/2019			170111	Truc 157		MixCode 313		ter Name/II 98844 I CONTRACTING LTD
Material	asp	Margab	Aobual			WatC	Moist	1 boad 8.00
1 1/2	727	5,921	5,920	1.	0.0	12.92	1.82m	Fenurand - 0.08
3/4	1200	9,520	9,350	152	-0.7	3.46	0.30m	Min Slump 4.00
SAND	1205	10,025	10,120	15	0.9	48.00	4.00m	Mim Wat (GL) 154.00
CEM03	480	3,840	3 890	1.29	1.3			(Trim Wat (GL) 0.00
CEM02	100	500	815.	115	1.9			Pruck Wat (GL) 0.00
WATOL	28.00	181-59	154.00	gal	1.6			Acc Mac(SL) 224.52
MWRA	40.00	320 00	920.00	ON	0.0			Add Wat (GL) 2.52
MBAE90	4.00	32.00	31.00	CD 56	-3.1			His WeyCm 0.4026
DELVO	8.00	371.20	358.00	45%	-0.9			Act Wt/Cm 0,9860

PHONE 509-933-7050

CEMENT PRODUCTS, INC.

READY MIXED CONCRETE

CONT. REG. # ELLEN CP 225 DP

PRICE ALLOWS 8 MINUTES PER YARD TO UNLOAD TRUCK AFTER ARRIVAL. ALL TIME OVER THIS CHARGED FOR AT CURRENT RATES.

CUSTOMER IS RESPONSIBLE FOR PROVIDING ACCEPTABLE WASHDOWN AREA.

SHIP TO:

EXTENDED PRICE

SOLD TO:

GRAHAM CONTRACTING LTD 550 ist AVE 3 SERTILE WA 95104

CRUSHED GRAVEL

WASHED

SAND & GRAVEL

929 6 42

I 90 mm102 102 WB 98926 205-491-6890

comE in east end WERIFY DESIGNATED WASHOUT

			CY/M3 ORDERED	ZONE	DRIVER/TRUCK #	COUNTER START	TICKET #
08:17	313	2.00	11.00		158	0.00	170134
DATE	P.O. #	LOAD #	CY/M3 DEL.	BATCH #	WATER TRIM	SLUMP	PLANT
09/12/2019	220002342E		11.00			4_00	NEWCA 914

### WARNING IRRITATING TO THE SKIN AND EYES

Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water. If Irritation Persists, Get Medical Attention. KEEP AWAY FROM CHILDREN I HAVE READ AND UNDERSTAND ALL WARNINGS, PROPERTY DAMAGE RELEASE INFORMATION AND WARRANTY INFORMATION ON THE REVERSE SIDE OF THIS TICKET.

Excessive Water is Detrimental to Concrete Performance H<sub>2</sub>O Added By Request/Authorized By

GAL X

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE, DAMAGE RELEASE AND WARRANTY INFORMATION ON THE REVERSE SIDE OF FORM.

UNIT PRICE

LOAD RECEIVED BY: Owline
X

QUANTITY CODE DESCRIPTION 3.00 313 4000D HPC EBURG 3.00 4 ENVIROMENTAL FEE 3.00 DELZ.O 2 HOUR DELAY SET 1.00 UN SCHED UNSCHEDULED CLEAN UP

RUSTRCC 172 WARTE 60097 P (9214 (NO TEST) BI#24

USED = 0.5 YDS

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	TIME ALLOWED	DELAY EXPLANATION/CYLINDER TEST TAKEN
	8:52			1. JOB NOT READY 6, TRUCK BROKE DOWN 7. ACCIDENT 3. TRUCK AHEAD ON JOB 8, CITATION
LEFT PLANT	ARRIVED JOB	START UNLOADING		4 CONTRACTOR BROKE DOWN 9, OTHER 5 ADDED WATER
	00	the Care Web.		
		BOIL 11 100 1100		
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME	CEMOI - MUR-	-TL-2018-11
	F - > 4-5.46 A			19 CLASS F

Subtotal: Tax:

RAND TOTAL

Date/Time		201	cket	Truc	T	101 00 1		And the supplemental and the s
09/13/2019	08:17		170124	158	1/6	MixCode 313		mer Name/Id 90849 M CONTRACTING LTD
Material	33D		4					
		Target	Actual	ALTERNATION OF	Vara		Moist	Lond 2.09
1 1/2	727	2,220	2,260	16	1.8	4.85	1.82m	Returned 0.00
9/4	1200	3,610	3,600	J.b	-0.3	1.30	0.30m	Mix Slump 4.00
SAND	1205	3,759	3,720	15	-111	18.03	4.00m	1 Mir Wat (GL) 52.00
TEM(00	488	1,440	1,995	1.15	0.3			Trim Wat (GL) -2.00
EM02	100	200	205	15	1.7			1-Truck Wat (GL) 0.00
WAMOT	28.00	49.32	52.00	gal	5.4			Act Wat (Gb) 78.15
WRA	40.00	120.00	120.00	OB	0.0			Add Wav(GL) 6.33
BAE90	4.08	12.00	11.00	0%	-8.3			Min Wt/Cm 0.4026
DELVO	8.00	139 20	136.00	0.5	-2.3			Act Wt/Cm 0.3725

WEIGHMASTER SIGNATURE X

PHONE 509-933-7050

# **ELLENSBURG** CEMENT PRODUCTS, INC.

PRICE ALLOWS 8 MINUTES PER YARD TO UNLOAD TRUCK AFTER ARRIVAL. ALL TIME OVER THIS CHARGED FOR AT CURRENT RATES.

**CUSTOMER IS RESPONSIBLE FOR** PROVIDING ACCEPTABLE WASHDOWN AREA.

SHIP TO:

### READY MIXED CONCRETE

CONT. REG. # ELLEN CP 225 DP

SOLD TO:

GRAMAM CONTRACTING LTD 568 lst AVE 8 SEATTLE WA 98104

CRUSHED GRAVEL

WASHED

SAND & GRAVEL

98844

I 30 mm102 102 WB 98925 205-491-6890 comE in east

VERIFY DESIGNATED WASHOUT

TIME	MIX	LOAD SIZE	CY/M3 ORDERED	ZONE	DRIVER/TRUCK #	COUNTER START	TICKET #
05:38	313	4.00	4.00		136	0.00	170147
DATE	P.O. #	LOAD #	CY/M3 DEL	BATCH#	WATER TRIM	SLUMP	PLANT
09/12/2019	9200023421		4.00			4.00	NRMCA PLO

#### WARNING IRRITATING TO THE SKIN AND EYES

Contains Portland Cement, Wear Rubber Boots and Gloves, PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water. If Irritation Persists, Get Medical Attention, KEEP AWAY FROM CHILDREN

I HAVE READ AND **UNDERSTAND ALL** WARNINGS, PROPERTY DAMAGE RELEASE INFORMATION AND WARRANTY INFORMATION ON THE REVERSE SIDE OF THIS TICKET.

**Excessive Water is Detrimental to Concrete Performance** -H<sub>2</sub>O Added By Request/Authorized By

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE, DAMAGE RELEASE AND WARRANTY INFORMATION ON THE REVERSE SIDE OF

UNIT PRICE

LOAD RECEIVED BY:

DESCRIPTION QUANTITY CODE 313 4.00 4000D HPC EBURG 4.00 ENVIROMENTAL FEE SHORT LOAD SHORT LOAD UNDER 5 CY 1.00 2 HOUR DELAY SET 4.00 DELZ.0

RUSTPCC 172 WARTC 60097

72 C9214 Temp = 78° AIR = 5.5% Swmp : 4.5" THANS #0126de6 SAMPLE # 154N-15 A+B BI#24

EXTENDED PRICE

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	TIME ALLOWED	DELAY EXPLANATION/CYLINDER TEST TAKE
				1, JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK BROKE DOV 7. ACCIDENT 3. TRUCK AHEAD ON JOB 8. CITATION
LEFT PLANT	ARRIVED JOB	START UNLOADING		4. CONTRACTOR BROKE DOWN 9. OTHER 5. ADDED WATER
1.110	1156	7/11		
0,40	6,01	1,00		
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME	CEMO1: MTR	-TL-2018-11
			centra. 12-	IN CLARS P
			CENTERS XXX	SCHOOLOGOGOGOGOGOGOGOGOGOGOGOGOGOGOGOGOGOG

Subtotal: Tax:

RAND TOTAL

BATCH DATA								
Date/Time		Ti	okes	True	rk b	dixCode	Custom	er Name/Id 98844
09/10/2019	06:38		170147	156	3	13		CONTRACTING LTD
Material	SSD	Target	Actual	Unit	Vare	WatC	Moist	Load 4.00
1 1/2	727	2,960	2,960	15	0.0	6.46	1.02m	Returned 0.00
3/4	1200	9,814	4,780	1b	-0.7	1.73	0.30m	Mix Slump 4.00
SAND	1205	5,012	4,980	16	-0.7	24.04	4.00m	Mix Wat (GL) 76.00
CEM03	480	1,920	1,945	lb.	1.3			Trim Wat (GL) 0.00
CEM02	1.00	400	400	lb.	0.0			( Truck Wat (GL) 0.00
WAP61	28.00	79.76	76.00	gal	3.0			( Act Wat (GL) 110.90
MWRA	40.00	160.00	160.00	0.8	0.0			Add Wat (GL) 2.31
MBAE90	4.00	16.00	15.00	200	-6.3			Mim Wt/Cm 0.4026
DELVO	8.00	185.60	188.00	OB	1.3			Act Wt/Cm   0.3944
						100		
4 m						WEIGHMAS	STER SIGNATURE	X

PHONE 509-933-7050

### **ELLENSBURG** CEMENT PRODUCTS, INC.

READY MIXED CONCRETE

PRICE ALLOWS 8 MINUTES PER YARD TO UNLOAD TRUCK AFTER ARRIVAL. ALL TIME OVER THIS CHARGED FOR AT CURRENT RATES.

CRUSHED GRAVEL WASHED SAND & GRAVEL CONT. REG. # ELLEN CP 225 DP

**CUSTOMER IS RESPONSIBLE FOR** PROVIDING ACCEPTABLE WASHDOWN AREA.

SHIP TO: SOLD TO: I 90 mm102 GRAHAM CONTRACTING LTD 102 WB 98926 568 let AVE S SEATTLE WA 98104 286-491-6890 comE in WEST END OF BRIDGE VERIFY DESIGNATED WASHOUP 98844 TIME LOAD SIZE MIX CY/M3 ORDERED ZONE DRIVER/TRUCK # COUNTER START TICKET # 06:04 313 5.00 10.00 157 0.00 170325 DATE P.O. # LOAD# CY/M3 DEL BATCH # WATER TRIM SLUMP PLANT 09/20/2019 3200023421 5.00 NEMCA PL 4.00 Excessive Water is Detrimental to Concrete Performance WARNING I HAVE READ AND H<sub>2</sub>O Added By Request/Authorized By **IRRITATING TO THE SKIN AND EYES** UNDERSTAND ALL GAL X Contains Portland Cement. Wear Rubber Boots WARNINGS, PROPERTY and Gloves. PROLONGED CONTACT MAY CAUSE DAMAGE RELEASE BURNS. Avoid Contact With Eyes and Prolonged NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE INFORMATION AND READ THE HEALTH WARNING NOTICE, DAMAGE RELEASE Contact With Skin. In Case of Contact With Skin or WARRANTY INFORMATION AND WARRANTY INFORMATION ON THE REVERSE SIDE OF Eyes, Flush Thoroughly With Water. If Irritation FORM. ON THE REVERSE SIDE OF Persists, Get Medical Attention. KEEP AWAY THIS TICKET. LOAD RECEIVED BY: , FROM CHILDREN QUANTITY CODE DESCRIPTION UNIT PRICE EXTENDED PRICE 40000 HPC 5.00 EBURG BI#24 5.00 ENVIROMENTAL FEE 5.00 DE'L2.0 2 HOUR DELAY SET Tim. 06:30 01334215 SUMD 6" RETURNED TO PLANT FINISH UNLOADING LEFT JOB TIME ALLOWED DELAY EXPLANATION/CYLINDER TEST TAKEN 1. JOB NOT READY 6. TRUCK BROKE DOWN SLOW POUR OR PUMP TRUCK AHEAD ON JOB ACCIDENT CITATION CONTRACTOR BROKE DOWN LEFT PLANT START UNLOADING 9. OTHER ARRIVED JOB ADDED WATER 6:33 10 Subtotal: TOTAL ROUND TRIP UNLOADING TIME TOTAL AT JOB That is 7:40 GRAND TOTAL

ZEM02 100 500 505 lb 1.0	
CEM02 100 500 505 lb 1.0	
uamni 27 an 91 21 94 00 mal 9 1	Trim Wat(GL) 0.00   Truck Wat(GL) 0.00
MURA 40.00 200.00 200.00 os 0.0 MEAE90 4.00 20.00 19.00 os -5.0 DELVO 8.00 232.00 228.00 os -1.7	Act Wat(GL) 138.19   Add Wat(GL) 9.57   Mix Wt/Cm 0.3997   Act Wt/Cm 0.3981

PHONE 509-933-7050

SOLD TO:

# **ELLENSBURG** CEMENT PRODUCTS, INC.

READY MIXED CONCRETE

PRICE ALLOWS 8 MINUTES PER YARD TO UNLOAD TRUCK AFTER ARRIVAL. ALL TIME OVER THIS CHARGED FOR AT CURRENT RATES.

**CUSTOMER IS RESPONSIBLE FOR PROVIDING ACCEPTABLE WASHDOWN AREA.** 

SHIP TO:

CRUSHED GRAVEL WASHED

SAND & GRAVEL CONT. REG. # ELLEN CP 225 DP

SRAHAM CONTRACTING LTD 568 let AVE 3 SEATTLE WA 38104

98844

I 90 mm102 102 WB 98926 206-491-6890 come in WEST END OF BRIDGE VERIFY DESIGNATED WASHOUT

TIME	MIX	LOAD SIZE	CY/M3 ORDERED	ZONE	DRIVER/TRUCK #	COUNTER START	TICKET#
07:34	318	5.00	10,00		161	0.00	170237
DATE	P.O. #	LOAD #	CY/M3 DEL	BATCH #	WATER TRIM	SLUMP	PLANT
09/20/2019	320002342		1000			4.60	NPMCA PL
	WARNING		I HAVE D	EAD AND	Excessive Water i	s Detrimental to Con	crete Performance

#### WARNING **IRRITATING TO THE SKIN AND EYES**

Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water. If Irritation Persists, Get Medical Attention. KEEP AWAY FROM CHILDREN

I HAVE READ AND **UNDERSTAND ALL** WARNINGS, PROPERTY DAMAGE RELEASE INFORMATION AND WARRANTY INFORMATION ON THE REVERSE SIDE OF THIS TICKET.

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE, DAMAGE RELEASE AND WARRANTY INFORMATION ON THE REVERSE SIDE OF

UNIT PRICE

H<sub>2</sub>O Added By Request/Authorized By

LOAD RECEIVED BY:

FORM.

GAL X

QUANTITY CODE DESCRIPTION 5.00 4000D HPC A ENVIRONENTAL FEE 5.00 5.00 DEL2.0 2 HOUR DELAY SET

EXTENDED PRICE

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	TIME ALLOWED	DELAY EXPLANATION/CYLINDER TEST TAK	EN
			111111111	1. JOB NOT READY 6. TRUCK BROKE D 2. SLOW POUR OR PUMP 7- ACCIDENT 3. TRUCK AHEAD ON JOB 8. CITATION	OWN
LEFT PLANT	ARRIVED JOB	START UNLOADING	ME FEET TO LEAD	CONTRACTOR BROKE DOWN     OTHER     ADDED WATER	
7:45	8:00	805			Subteral
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME	CEMO1: MTR-	10-2018-11	Tax:
		8:50	CEM02 - 12-1	GRAND TOTAL	
		8.30	CEMOS: KXXX	GRAND TOTA	

X

Date/Time 09/20/2019	07:504		nhet 170337	Truc 161	- 5	MixCode 318		r Name/Id 98844 CONTRACTING LTD
Material 1 1/2 3/4 BAND TEMOS	330 727 1200 1205 480	Target 3,701 6,018 6,266 2,400	5,960 5,260	lb lb	Var3 0.5 -1.0 -0.1 0.8	WatC 8.08 2.18 30.05	Moist 1.82m 0.20m 4.00m	boad
CEMO2 MATOI MRA MBAE90 DELVO	100 27,30 36,00 3,90 8,00	500 88.71 180.00 19.50 292.00	91.00 180.00 19.00 292.00	lb gal cs ov	1.0 2.6 0.0 -2.5			Truck/Wat(GL) 0.00   Act Wat(GL) 134.66   Add Wat(GU) 2.02   Min We/Cm 0.3926   Act Wt/Cm 0.2039

PHONE 509-933-7050

ELLENSBURG CEMENT PRODUCTS, INC.

READY MIXED CONCRETE

CONT. REG. # ELLEN CP 225 DP

PRICE ALLOWS 8 MINUTES PER YARD TO UNLOAD TRUCK AFTER ARRIVAL. ALL TIME OVER THIS CHARGED FOR AT CURRENT RATES.

CUSTOMER IS RESPONSIBLE FOR PROVIDING ACCEPTABLE WASHDOWN AREA.

SHIP TO:

SOLD TO:

GRAHAM CONTRACTING LTD 568 1st AVE 3 SEATTLE WA 98104

CRUSHED GRAVEL

WASHED

SAND & GRAVEL

98844

DATOU DATA

I 90 mm102 102 WB 98926 206-491-6890

come in West END OF BRIDGE WERIFY DESIGNATED WASHOUT

TIME	MIX	LOAD SIZE	CY/M3 ORDERED	ZONE	DRIVER/TRUCK #	COUNTER START	TICKET#
09:01	313	9.50	18.50		156	0.9/	170349
DATE	P.O.#	LOAD#	CY/M3 DEL	BATCH#	WATER TRIM	SLUMP	PLANT
09/20/2019	920062342#g		10.50			4.00	NEMCA PLA

## WARNING IRRITATING TO THE SKIN AND EYES

Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water. If Irritation Persists, Get Medical Attention. KEEP AWAY FROM CHILDREN I HAVE READ AND UNDERSTAND ALL WARNINGS, PROPERTY DAMAGE RELEASE INFORMATION AND WARRANTY INFORMATION ON THE REVERSE SIDE OF THIS TICKET.

Excessive Water is Detrimental to Concrete Performance H<sub>2</sub>O Added By Request/Authorized By

GAL X

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE, DAMAGE RELEASE AND WARRANTY INFORMATION ON THE REVERSE SIDE OF FORM.

LOAD RECEIVED BY:

QUANTITY CODE DESCRIPTION UNIT PRICE EXTENDED PRICE

2.50 312 400 OD HPC EBURG

3.50 4 ENVIRONENTAL FEE

3.50 DEL2.0 2 HOUR BELAY SET

BI #24

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	TIME ALLOWED	DELAY EXPLANATION/CYLINDER TEST TAKEN	pur-tal lumoular.
			r decents	1. JOB NOT READY 6. TRUCK BROKE DOWN 2. SLOW POUR OR PUMP 7. ACCIDENT 3. TRUCK AHEAD ON JOB 8. CITATION	
LEFT PLANT	ARRIVED JOB	START UNLOADING	100	3. TRUCK AHEAD ON JOB 8. CITATION 4. CONTRACTOR BROKE DOWN 9. OTHER 5. ADDED WATER	
4 17	477	4177		3. ADDED WATCH	Sermi Single
1,16	1566	1100			Subtotal:
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME	семоз - мтр	-712018-11	Page:
		A '	CEMP2 12-	Total:	
	10.00		CE3602 - XXXX	GRAND TOTAL	

BAICH DAIA								
Date/Time 09/20/2019	09:01		cket 170349	Truc 156		MixCode 313		rex Name/Id 98849 I CONTRACTING LTD
Material 2 1/2 3/4 SAND CEM02 CEM02 VAT01 MWRA MBAE90 DELVO	. 33D .727 .1200 .1205 .400 .100 .27 .30 .36 .00 .3 .90 .9 .00	Target 2,590 4,212 4,386 1,680 350 55.09 126.00 19.55 162.90	Actual 2,640 4,180 4,400 1,665 245 58.00 128.00 13.00 164.00	1b 1b 1b	Var% 1.9 -0.8 0.3 -0.9 -1.4 5.3 1.6 -4.9	5.65 1.52 21.04	Moist 1.82m 0.30m 4.00m	Load 3.50   Seturned 0.001.5   Mix Stomp 4.00   Mix Wat (GL) 58.00   Trim Wat (GL) -2.00   Truck Wat (GL) 0.00   Act Wat (GL) 88.78   Add Wat (GL) 5.86   Mix Wb/Cm 0.3926   Act Wt/Cm 0.3683
						WEIGHMAS	STER SIGNATURE	X